

Forms you need to complete and return:

- **REGISTRATION/INSURANCE FORM**
- **COLONOSCOPY QUESTIONNAIRE**

To submit these forms, simply drop them off at our office at:
3116 WILLETT DRIVE, LARAMIE WY

OR

**MAIL THEM TO:
IVINSON MEDICAL GROUP
ATTN: SURGICAL CLINIC RN
3116 WILLETT DRIVE
LARAMIE, WY 82072**

FAX: 307-755-4539



Colonoscopy Questionnaire

Name: _____ Date of Birth _____/_____/_____

Phone: (____) _____

Ivinson Medical Group has developed a program which allows healthy individuals to schedule screening colonoscopy without the need for an office visit before the procedure. If your physician has suggested that you have a colonoscopy, you may have qualified for this program. Of course, not all patients will be able to safely undergo colonoscopy without a more detailed evaluation of their health history and their risks for the procedure. If that is the case for you, we will help you schedule an office visit so that a physician can review your medical history, assess your current conditions, and determine how to best meet your health needs.

Please complete the following questionnaire. Someone from our office will contact you within 10 days.

How old are you today? _____	
Have you had a colonoscopy in the past?	<input type="checkbox"/> *Yes <input type="checkbox"/> No
*If the answer is yes: when _____/_____/_____	
Where: _____	
What were the results? _____	
Why are you requesting a colonoscopy? _____	
Is there a family history of colon cancer or polyps?	<input type="checkbox"/> *Yes <input type="checkbox"/> No
*If yes, who? _____	
Do you have any gastrointestinal symptoms such as abdominal pain, bleeding, weight loss, diarrhea, constipation, or anemia?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Have you ever had any of the following?	
Ulcerative colitis or Crohn's disease?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Heart attack, irregular heartbeat, coronary artery bypass or stent placement, stroke, seizure, fainting spells or congestive heart failure?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Renal failure or dialysis	<input type="checkbox"/> Yes <input type="checkbox"/> No
Respiratory problems (COPD, emphysema, home oxygen, or asthma)	<input type="checkbox"/> Yes <input type="checkbox"/> No
Diabetes or sleep apnea	<input type="checkbox"/> Yes <input type="checkbox"/> No
Defibrillator, pacemaker, or artificial heart valve	<input type="checkbox"/> Yes <input type="checkbox"/> No
Organ transplant, other than cornea	<input type="checkbox"/> Yes <input type="checkbox"/> No
Do you have MRSA (Methicillin-Resistant Staphylococcus Aureus)?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Have you had a joint replacement?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Do you smoke?	<input type="checkbox"/> *Yes <input type="checkbox"/> No
*If yes, how often and how much? _____	
Do you take any of these blood thinning medications? Please check any of the ones you take daily.	
<input type="checkbox"/> Coumadin (warfarin) <input type="checkbox"/> Aspirin <input type="checkbox"/> Lovenox (enoxaparin)	
<input type="checkbox"/> Trental (pentoxifylline) <input type="checkbox"/> Plavix (clopidogrel) <input type="checkbox"/> Eliquis (apixaban)	
<input type="checkbox"/> Pradaxa (dabigatan) <input type="checkbox"/> Xarelto (rivaroxaban)	



Do you have any bleeding problems? *If yes, which ones? _____	<input type="checkbox"/> *Yes <input type="checkbox"/> No
Do you have any allergies to medications or eggs? *If yes, please list: _____ _____	<input type="checkbox"/> *Yes <input type="checkbox"/> No
List all medications that you take including herbals and other over the counter medications: _____ _____ _____ _____ _____ _____ _____ _____	
Have you had difficulty with anesthesia other than nausea?	<input type="checkbox"/> Yes <input type="checkbox"/> No
Are you able to walk without assistance?	<input type="checkbox"/> Yes <input type="checkbox"/> No

Height: _____ Weight: _____

To submit this form, simply drop it off at our office at 3116 E. Willett Drive, Laramie, WY or mail it to Ivinson Medical Group, ATTN: Surgical Clinic RN, 3116 Willett Drive, Laramie, WY 82072.



Patient Statement for Colonoscopy

- Scheduling my screening colonoscopy via the phone is designed to allow healthy, age appropriate patients to have a screening colonoscopy without an office visit. The questionnaire that I have completed will be carefully reviewed and I may be called for points of clarification. For my safety, depending on the answers provided, I understand I may be scheduled directly for a Screening Colonoscopy or if I do not meet criteria, an office visit will be scheduled.
- I understand that by choosing to pursue a Colonoscopy I have not, nor during this process will I have, a GI consultation. I understand that I have the choice to make an appointment for an office visit to discuss colonoscopy and have declined to do so. I also understand that I will require a separate office visit to address any GI complications I might have.
- If I am scheduled directly for a screening colonoscopy I will be called regarding preparation for the procedure, the procedure itself, and post-procedure concerns; I will get a brief physical exam on the morning of the procedure. I will read the information provided and make sure that I understand and will be able to comply with the instructions given.
- I understand that, while not likely, there are risks involved with colonoscopy as with any medical procedure. These risks are outlined in the information that I have received. I have reviewed this information to my complete satisfaction and I understand the risks and the benefits of colonoscopy.
- Should I have any changes in my health status or insurance after being scheduled, or any questions about the information I receive by mail I will call the office.
- I understand that I must have someone drive me to the procedure and wait at the hospital to drive me home. **Without a driver in attendance the procedure will be cancelled.**

Signature: _____ Date: ____/____/____

To submit this form simply drop it off at our office or mail it to Ivinson Medical Group, ATTN: Surgical Clinic RN, 3116 Willett Dr., Laramie, WY 82072



Patient Information

Name: _____
LAST FIRST M.I.

Other names used: _____

Address: _____
STREET CITY STATE ZIP CODE

Phone: (____) _____ Preferred Contact Method: email phone text mail

May we leave messages on your answering machine regarding your care? *Yes No
*Please understand that if we leave messages, it will be your responsibility to initiate a return call to discuss your care with us.

Social Security Number: _____ Date of Birth: ____ / ____ / ____ Age: _____

Marital Status: Single Married Divorced Separated Widowed

Emergency Contact Information

Name: _____
LAST FIRST M.I.

Phone: (____) _____

Patient Email

email: _____

I wish to be set up for IMH's patient portal using the email address above: Yes No

Patient Employer

Name: _____

Address: _____
STREET
CITY, STATE, ZIP CODE

Phone Number: (____) _____



Insurance	Primary Insurance: _____ Policy Holder's Name: _____
	Policy Holder's Date of Birth: ____/____/____ Policy Holder's SSN: _____
	Policy Number: _____ Group Number: _____ Co-Pay\$: _____
	Secondary Insurance: _____ Policy Holder's Name: _____

RX	Local Pharmacy: _____ Mail Order Pharmacy: _____
	Oxygen Company (if applicable): _____
	Home Health Agency (if applicable): _____



Colonoscopy Information Sheet

This information sheet is provided to help you understand colonoscopy. If you have questions after reading this sheet, please do not hesitate to ask them. Upon your arrival at the facility for your procedure you will be asked to sign a consent form.

What is a colonoscopy?

Colonoscopy is an examination of the large intestine using a flexible tube (colonoscope) with a video camera at the end. The tube is inserted into the rectum and advanced through the colon. At the time of the examination the doctor can take tissue samples (biopsies) or remove abnormal growths such as polyps. Other procedures are sometimes performed such as applying clips or electrocautery to prevent or control bleeding, or injecting dye. Patients are given medication through an intravenous line (IV) and are sleepy or asleep throughout the procedure. On average, the procedure takes between 20 minutes to an hour.

Why is a colonoscopy done?

Colonoscopy is done to detect colon cancer or pre-cancerous polyps in both average risk individuals and in those with an increased risk of colon cancer, such as those with a family history of colon cancer or a personal history of inflammatory bowel disease. It is also done as part of the evaluation of symptoms such as rectal bleeding, diarrhea, change in bowel habits and other conditions.

What is the success rate of a colonoscopy?

An examination of the entire colon is possible in most patients. Occasionally a complete examination is not possible because of narrowing of the colon, the presence of an unusually long and twisty colon, or looping and sharp angulation (usually from scarring related to previous surgery or diverticulitis). Even when the entire colon can be reached with a colonoscope, there is a chance that a polyp or other abnormality will not be seen. This chance is higher when pre-colonoscopy cleansing of the colon is not adequate, but still exists even when the colon is well prepared. If the examination is incomplete, you may need additional testing such as a barium enema x-ray or CT colonography (virtual colonoscopy), or perhaps another colonoscopy.

What are the risks of a colonoscopy and associated procedures?

Colonoscopy is considered a relatively safe procedure, but serious complications occur in about 1 person out of 100 (0.1%). These complications include infection, perforation (puncture or tear of the bowel wall creating a hole), bleeding (frequently from a treatment site, such as the place where a polyp was removed), cardiac problems such as a heart attack or rhythm disturbances, sedation related complications such as aspiration or decreased respiration, and even death which is quite rare. While a complete listing of possible rare complications would be quite lengthy, this list includes some of the most significant risks.



What are the alternatives to colonoscopy?

There are several other methods which can be used to examine the bowel. These include a limited examination which is confined to the rectum and lowest portion of the colon (flexible sigmoidoscopy), barium enema x-ray, and CT colonography (virtual colonoscopy). Examination of the stool for presence of microscopic amounts of blood can be used as a screening technique for colon cancer.

What can I expect after the procedure?

You may feel bloated or have cramping 1-2 hours after the procedure is complete. You may feel tired and need to take a nap once you are back home. It is common to go for a day or two without a bowel movement. If biopsies are done or a polyp is removed, you may see a small amount of bleeding from the rectum. You should plan to eat a light meal after the procedure, and then return to a normal diet if you are feeling fine. You should be completely recovered and able to return to your usual activities the next day. You cannot drive for a minimum of 12 hours after your sedated procedure.



Colonoscopy

Dulcolax/MiraLax/Gatorade

PREPARATION INSTRUCTIONS

Expect a phone call from IMH pre-op with your arrival time on procedure day. We get to pick the day, they pick the time and will contact you 1-2 days before your procedure.

ONE WEEK PRIOR TO THE PROCEDURE

Unless you are told by your physician, you should stop taking all blood thinners, iron pills or multivitamins that contain iron 7 days prior to your procedure. Examples of blood thinners include: Coumadin, Heparin, Aspirin, Percodan, and Alka-seltzer. You must stop any anti-inflammatory type drugs including Empirin, Ecotrin, Bufferin, Ascriptin, Ibuprofen, Motrin, Advil, Medipren, Nuprin, Naproxen, Naprosyn, Sulindac, Clinoril, Piroxicam, Feldene, Indomethacin, Indocin, Diclofenac, Voltaren, or Mobic. If you are taking iron or blood thinners notify your doctor. Tylenol and other brands which contain acetaminophen **are** safe to use prior to this procedure.

THREE DAYS BEFORE THE PROCEDURE

LOW FIBER DIET...STOP EATING THE FOLLOWING FOODS:

Fruits and vegetables with seeds and skins (tomatoes, grapes, apple peelings, potato skins, etc.), roughage foods such as leafy green vegetables or salads, all beans, corn, popcorn, cornbread, pumpernickel bread, nuts coconut, dried fruits, or foods made with whole grains, oats, bran, wheat, or granola. You may eat meat, white bread, pasta, rice, potatoes, dairy, and eggs, etc. Discontinue any fiber supplements such as Metamucil, Citrucel, Benefiber, etc.

YOU WILL NEED TO PURCHASE (at least 2-3 days before your procedure):

- 1) **Bisacodyl (Dulcolax)**, 5 mg tablets, you will need 4 tablets
- 2) One **8.3 ounce (238 gram)** bottles of MiraLax
- 3) One **64 ounce bottle** (or two 32 ounce bottles) of Gatorade (**NOT RED OR PURPLE**)

If you are a diabetic use a sugar-free sports drink such as Powerade Zero in place of Gatorade to avoid blood sugar problems.

If you have renal insufficiency **DO NOT** purchase Gatorade or Powerade as you will have to use plain water (eight 8 ounce glasses) to prevent issues with your electrolytes.

MiraLax is over-the-counter and does **not** require a prescription.



THE DAY BEFORE THE PROCEDURE

DIET

You may eat a light low fiber breakfast in accordance with the restrictions described above under “LOW FIBER DIET” but then only clear liquids for the remainder of the day (after 12:00 noon). Clear liquids consist of clear broths, fruit juices without pulp, tea, coffee, water, soda, etc. Do NOT drink cream or milk or add these to any beverage or food. You may use honey, sugar, or artificial sweeteners. You may also eat Jell-O, (not red or purple), popsicles, or hard candies without any added dairy such as Jolly ranchers, lemon drops, etc. **Please avoid anything the day before your procedure that is red or purple in color.**

CONSUMING THE PREP

At 12:00 noon on the day **BEFORE** the procedure consume the 4 bisacodyl (Dulcolax) tablets with an 8 ounce glass of water or juice, swallow whole, do not cut, crush or chew.

At 4:00pm on the day **BEFORE** the procedure mix the entire contents of the bottle of MiraLax with the entire 64 ounce bottle of Gatorade in a pitcher or other container. Drink one 8 ounce glass of the mixture every 15 minutes until the mixture is gone. The prep works best if you drink each 8 ounce glass as quickly as possible.

- If you experience nausea or vomiting, rinse your mouth with water and take a 15 to 30 minute break before continuing to drink the MiraLax/Gatorade mixture. Or suck on a hard candy in between glasses (not red or purple).
- You will have to remain near the commode during the entire prep as your bowels will begin to move within 30 minutes of starting the prep and for several hours after completing the prep.
- The contents of your bowel movements should be transparent like slightly discolored water without any solid component when you’re done with the prep.

You may continue eating/drinking clear liquids until midnight. You should especially ensure that you are drinking a lot of water and Gatorade after the prep is completed to prevent dehydration.

YOU SHOULD HAVE NOTHING ELSE TO EAT OR DRINK AFTER MIDNIGHT except for **essential** medications that can be taken with a small sip of water. Essential medications include blood pressure, heart, or breathing medications that your physician has instructed you to take the day of the procedure.

Arrange for transportation home from Ivinson Memorial Hospital **IN ADVANCE**. You may **NOT** drive yourself home after the procedure.

